








TOOLINGS


DESCRIPTION	SPEC	P/NO.	NOTES
FEED ROLLER 	FLAT 0.40/0.60	24X652-F040	MADE-TO-ORDER
	FLAT 0.80/1.00	24X652-F080	MADE-TO-ORDER
	0.50/0.60	24X652-5060	
	0.55/0.65	24X652-5565	
	0.70/0.80	24X652-7080	
	0.90/1.00	24X652-9010	
	1.10/1.20	24X652-110120	
	1.30/1.40	24X652-130140	
	1.50/1.60	24X652-150160	
DESCRIPTION	SPEC	P/NO.	NOTES
INLET GUIDE 	FLAT	34X775-F	TO BE USED ALONG WITH GROOVED INLET GUIDE
	1.1	34X775-0510	APPLICABLE TO W.D. LESS THAN 1.0mm
	1.7	34X775-1116	APPLICABLE TO W.D. 1.10 – 1.60
DESCRIPTION	SPEC	P/NO.	NOTES
MIDDLE GUIDE 	FLAT	71X442-F	
	0.5	71X442-060	
	0.6	71X442-060	
	0.65	71X442-065	
	0.7	71X442-070	
	0.8	71X442-080	
	0.9	71X442-090	
	1.0	71X442-100	
	1.1	71X442-110	
	1.2	71X442-120	
	1.3	71X442-130	
	1.4	71X442-140	
	1.5	71X442-150	
	1.6	71X442-160	


DESCRIPTION	SPEC	P/NO.	NOTES
WIRE GUIDE FLAT 	FLAT	71X441-WF	L65mm To be used along with wedge-pitch tool
	FLAT	71X441-F	L88.5mm
DESCRIPTION	SPEC	P/NO.	NOTES
WIRE GUIDE 	0.5	71X441-050	
	0.6	71X441-060	
	0.65	71X441-065	
	0.7	71X441-070	
	0.8	71X441-080	
	0.9	71X441-090	
	1.0	71X441-100	
	1.1	71X441-110	
	1.2	71X441-120	
	1.3	71X441-130	
	1.4	71X441-140	
	1.5	71X441-150	
	1.6	71X441-160	


DESCRIPTION	SPEC	P/NO.	NOTES
ARBOR 	10x20	71X440	TUNGSTEN CARBIDE



DESCRIPTION	SPEC	P/NO.	NOTES
CUTTER TOOL RIGHT WINDING		71X437	

DESCRIPTION	SPEC	P/NO.	NOTES
CUTTER TOOL LEFT WINDING 		71X438	

DESCRIPTION	SPEC	P/NO.	NOTES
WEDGE-PITCH RIGHT WINDING 		71X443	45° STANDARD
		71X445	30° FOR ROUGH PITCH

DESCRIPTION	SPEC	P/NO.	NOTES
WEDGE-PITCH LEFT WINDING 		71X444	45° STANDARD
		71X446	30° FOR ROUGH PITCH

DESCRIPTION	SPEC	P/NO.	NOTES
PUSH-PITCH TOOL 		71X436	

DESCRIPTION	SPEC	P/NO.	NOTES
COILING POINT (SQUARE SHAPE) To be used with sub holder 	0.5	70X267-050	
	0.6	70X267-060	
	0.65	70X267-065	
	0.7	70X267-070	
	0.8	70X267-080	
DESCRIPTION	SPEC	P/NO.	NOTES
COILING POINT 	0.5	71X439-050	MADE-TO-ORDER
	0.6	71X439-060	MADE-TO-ORDER
	0.65	71X439-065	MADE-TO-ORDER
	0.7	71X439-070	MADE-TO-ORDER
	0.8	71X439-080	MADE-TO-ORDER
	0.9	71X439-090	
	1	71X439-100	
	1.1	71X439-110	
	1.2	71X439-120	
	1.3	71X439-130	
	1.4	71X439-140	
	1.5	71X439-150	
1.6	71X439-160		